

# SAFETY DATA SHEET

#### Section 1: Identification

 Product Name:
 Technician's Choice TEC513 Quick Yellow Fast Wax

 Product Code:
 TEC513

 Product Class:
 Automotive Wax/Polish

 Manufacturer/Supplier:
 ECP Incorporated

 11210 Katherine's Crossing, Suite 100
 Woodridge, IL 60517

 Telephone:
 630-754-4200

 Emergency Telephone:
 CHEMTREC 800-424-9300

Date Prepared: June 13, 2005 Date of Review/Update: April 25, 2015

## Section 2: Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Signal Word: Flammable Liquid 3, Aspiration Toxicity 1, Eye and Skin Irritant 2b, Danger

<u>GHS Hazard Statements:</u> H226 Flammable liquid and vapor H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H320 Causes eye irritation

**GHS Precautionary Statements:** 

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: See Section 5 for extinguishing media.

P501 Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national and international regulations.

#### Signs and Symptoms of Exposure:

 Eye:
 Irritation including tearing or redness.

 Skin:
 Prolonged skin contact may cause irritation including redness, irritation, itching.

 Ingestion:
 Gastrointestinal irritation, nausea, vomiting, and diarrhea, upset stomach.

 Inhalation:
 May cause allergy or asthma symptoms or breathing difficulties if inhaled..

 Medical Conditions Aggravated by Exposure: None known.
 HMIS Rating:

 HMIS Rating:
 Health-1

## Section 3: Composition/Information on Ingredients

Chemical Name	CAS Number	% Range	OSHA PEL	ACGIH TLV
Mineral Spirits	64475-85-0	3-8	100ppm	100ppm
Distillates (petroleum) Hydro treated Light	64742-47-8	8-13	Not Available	Not Available
Odorless Mineral Spirits	64742-48-9	5-10	Not Available	Not Available
Naphtha	8032-32-4	3-8	300ppm	300ppm

## Section 4: First Aid Measures

Eye Contact: Flush with large amounts of water for 15 minutes. If symptoms persist, seek medical attention.

Skin Contact: Wash affected area with water for 15 minutes. Remove contaminated clothing and launder before reuse.

Ingestion: Never give anything by mouth to an unconscious person. If person is conscious then give several glasses of water. Do not induce vomiting. Keep warm and quiet. Seek medical attention.

Inhalation: Remove from exposure. Seek fresh air. Keep warm and quiet. If symptoms persist seek medical attention.

#### **Section 5: Fire-Fighting Measures**

Fire and Explosive Properties:Combustible Liquid.Flash Point: ~114.8°F TCCFlammable Limits:LEL / UEL:Not AvailableExtinguishing Media:Use foam, dry chemical or carbon dioxide extinguisher.Flammable Limits:LEL / UEL:Not AvailableProtective Equipment:Not establishedStablishedStablishedStablishedStablished

## Section 6: Accidental Release Measures

Steps to be taken if Material is Spilled or Leaked:

For small spill; contain and collect with absorbent. For large spills; shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use. Avoid run off into storm sewers and ditches that lead to waterways.

### Section 7: Handling and Storage

Precautions to be taken in Handling and Storage: Keep out of reach of children. Store in between 40°F and 95°F.

#### Section 8: Exposure Controls and Personal Protection

Ventilation:	Good general ventilation should be sufficient to control airborne levels.
Respirator Protection:	NIOSH respirator (organic vapors), in the absence of proper environmental control.
Skin Protection:	Use Nitrile/Vinyl gloves. Clean, body-covering clothing
Eye Protection:	Wear safety glasses with side shields or goggles.

No

#### Section 9: Physical and Chemical Properties

Boiling Point:	Not Available	Vapor Pressure (mmHg @ 68°F):	Not Available
Vapor Density:	Not Available	Solubility in Water:	Insoluble
Specific Gravity:	0.98	Melting Point:	Not Available
VOC:	Not Available	pH:	Not Available
Appearance/Odor:	Yellow Liquid, banana odor		

## Section 10: Stability and Reactivity

Stability:StableMaterials to Avoid:None indicatedHazardous Polymerization: NoConditions to Avoid:Combustible liquid. Keep away from heat and open flame.Hazardous Decomposition Products:Carbon Monoxide and Carbon Dioxide

#### Section 11: Toxicology Information

IARC, NTP, OSHA Carcinogen:

#### Section 12: Ecological Information

Not Available

#### Section 13: Disposal Considerations

Waste Disposal: Dispose of in accordance with federal, state and local regulations.

#### Section 14: Transport Information

D.O.T. REQUIREMENTS (49CFR 172.101):

Not regulated in quantities less than 119 gallons except when shipped by vessel or aircraft. (29CFR173.150) UN1993, Flammable Liquid N.O.S., 3, PG III, (Petroleum Distillates)

#### Section 15: Regulatory Information

RQ (REPORTABLE QUANTITY) 49CFR 172.101: TSCA (Toxic Substances Control Act) Status: CERCLA RQ - 40CFR 302.4: SARA 302 COMPONENTS - 40CFR 355 Appendix A: <u>SECTION 311/312 HAZARD CLASS - 40CFR 370.2</u> Immediate (X) Delayed (X) Fire (X) SARA 313 COMPONENTS - 40CFR 372.65: CALIFORNIA PROPOSITION 65:

None The intentional ingredients of this None None	product are listed.
Reactive Sudden Release of Pressure	()
None None	

Ingredient	•	Max. % By Wt.	<u>LD50</u>	LC50
Mineral Spirits	64475-85-0	3-8	Oral Rat - > 34600mg/kg	Not Established
Distillates (petroleum) Hydrotreated	Light 64742-47-8	8-13	Oral Rat - > 5 g/Kg	Not Established
Odorless Mineral Spirits	64742-48-9	5-10	Not Established	Not Established
Naphtha	8032-32-4	3-8	Intravenous Mouse - 40mg/kg	Inhal Rat - 3400ppm/4H

## Section 16: Other Information

Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.